

# FREESTANDING COOKERS

## BRITISH COOKERS FOR BRITISH COOKS

If you've got a gap in your <sup>belling</sup> kitchen, we've got a cooker to fit. We offer 50, 55 and 60cm freestanding cookers, with gas, electric and dual fuel options. Our freestanding cookers are jam packed full of innovative technology, like fanned gas ovens and induction hotplates.

# 50CM FREESTANDING COOKERS

## FS50EDOC



### 50cm double oven with ceramic hob

- 4 ceramic elements
- Electric grill and conventional top oven
- Conventional electric main oven
- Easy clean enamel

● BLACK 444443928 ○ WHITE 444443927

## FS50EDOPC



### 50cm electric fanned double oven with ceramic hob and timer

- 4 ceramic elements
- Electric grill and conventional top oven
- Fanned electric main oven
- Programmable timer
- Easy clean enamel

● SILVER 444443931

## FS50EFDO



### 50cm electric fanned double oven with solid plate hob

- 4 sealed plate elements
- Electric grill and conventional top oven
- Fanned electric main oven
- Easy clean enamel

● BLACK 444443925 ● SILVER 444443926 ○ WHITE 444443923  
● STA STEEL 444443924

## FS50GDOL



### 50cm gas double oven with glass lid

- 4 gas burners
- Gas grill and conventional top oven
- Conventional gas main oven
- Gloss enamel pan supports
- Glass lid
- Easy clean enamel

● BLACK 444444002 ○ WHITE 444444001

## FS50EDOFC



### 50cm electric fanned double oven with ceramic hob

- 4 ceramic elements
- Fixed rate dual circuit electric grill and conventional top oven
- Fanned electric main oven
- Easy clean enamel

● BLACK 444443930 ○ WHITE 444443929

## FS50DOTI



### 50cm electric double oven with induction hob and programmable timer

- 4 Induction zones with power boost
- Fixed rate dual circuit electric grill and conventional top oven
- Fanned electric main oven
- Programmable timer
- Touch control hob
- Pan & overheat detection

● STA STEEL 444444764



SEE PAGE 8

## FS50ET



### 50cm electric twin cavity cooker with solid plate hob

- 4 sealed plate elements
- Fixed rate electric grill
- Conventional electric oven
- Easy clean enamel

● BLACK 444443921 ● SILVER 444443922 ○ WHITE 444443920

## FSG50DO



### 50cm gas double oven

- 4 gas burners
- Electric grill and conventional gas top oven
- Conventional gas main oven
- Glass lid with auto shut off
- Gloss enamel pan supports
- Easy clean enamel

● SILVER 444441190

## FS50GTCL



### 50cm gas twin cavity cooker with glass lid

- 4 gas burners
- Variable rate gas grill
- Conventional gas main oven
- Glass lid with auto shut off
- Gloss enamel pan supports
- Easy clean enamel

● BLACK 444443999 ● STA STEEL 444444000 ○ WHITE 444443998

# ALL THE INGREDIENTS OF A GREAT BRITISH COOKER



# 55CM FREESTANDING COOKERS

## FSG55TCF



### 55cm gas twin cavity cooker with fanned gas main oven

- 4 gas burners
- Variable rate gas grill
- Conventional and fanned gas main oven
- Cast iron pan supports
- Glass lid with auto shut off
- Easy clean enamel

● BLACK 444442712 ● STA STEEL 444442711 ○ WHITE 444442713



SEE PAGE 35

## ENFIELD 552



### 55cm electric double oven with ceramic hob

- 4 ceramic elements
- Fixed rate dual circuit electric grill and conventional top oven
- Fanned electric main oven
- Easy clean ceramic glass hob
- Glass lid with auto shut off
- Easy clean enamel

● SILVER 444449200 ○ WHITE 444449199



# 60CM FREESTANDING COOKERS

## FSG60TC



### 60cm gas twin cavity cooker with minute minder

- 4 gas burners
- Variable rate gas grill
- Conventional gas main oven
- Glass lid with auto shut off
- Minute minder
- Gloss enamel pan supports
- Easy clean enamel

● BLACK 444449564 ● STA STEEL 444449563

## FSDF60DOW



### 60cm dual fuel double oven with gas hob

- 4 gas burners
- Variable rate dual circuit electric grill and conventional top oven
- Fanned electric main oven
- 4kW wok burner
- Cast iron pan supports
- Glass lid with auto shut off
- Easy clean enamel

● BLACK 444442723 ● STA STEEL 444442722

## FSE60DOP



### 60cm electric double oven with ceramic hob and programmable timer

- 4 ceramic elements
- Variable rate dual circuit electric grill and conventional top oven
- Fanned electric main oven
- Defrost function
- Easy clean ceramic glass hob
- Easy clean enamel

● BLACK 444449574 ● STA STEEL 444449572 ○ WHITE 444449573

# HOW FANNED GAS WORKS

## IT COOKS EVERYTHING EVENLY



1

It's a conventional gas oven, with an electric fan that you control with a switch. It creates an even temperature so now you can bake your favourite cake at the same time as your cut of meat.

2

It works by drawing in and distributing air through vents, producing an even cooking temperature. So cooks and bakers can use all levels of the oven instead of swapping shelves.

3

And because we know what cooks want, we've made it so you can switch between fanned and conventional gas, giving you more choice as well as fantastic results every time.

## FSG60DOP



### 60cm gas double oven with cook-to-off programmable timer

- 4 gas burners
- Fixed rate electric grill and conventional gas top oven
- Conventional gas main oven
- Glass lid with auto shut off
- Programmable cook-to-off timer
- Gloss enamel pan supports
- Easy clean enamel

● BLACK 444449569 ● STA STEEL 444449567 ○ WHITE 444449568

## FSE60MF



SEE PAGE 39

### 60cm electric multifunction double oven with timer and dual grill

- 4 ceramic elements
- Variable rate dual circuit electric grill and conventional top oven
- Multifunction main oven and fanned grill
- Pizza function
- 9 oven functions
- Programmable timer
- Defrost function
- Easy clean enamel

● BLACK 444449576 ● STA STEEL 444449575

# SLEEK MODERN BRITISH DESIGN



# 60CM FREESTANDING COOKERS

## FSE60DOTI



SEE PAGE 8

### 60cm electric double oven with touch control induction hob

- 4 Induction zones with power boost
- Variable rate dual circuit electric grill and conventional top oven
- Fanned electric main oven
- Pan & overheat detection
- Touch control hob
- Minute minder
- Easy clean enamel

● STA STEEL 444443704

## FSE60MFTI



SEE PAGE 8



SEE PAGE 39

### 60cm electric multifunction double oven with touch control induction hob

- 4 Induction zones with power boost
- Variable rate dual circuit electric grill and conventional top oven
- Multifunction main oven
- Pan & overheat detection
- 9 oven functions
- Programmable timer
- Defrost function
- Easy clean enamel

● STA STEEL 444443702 ○ WHITE 444443703

## FSG60DOF



SEE PAGE 35

### 60cm gas double oven with fanned gas main oven and timer

- 4 gas burners
- Fixed rate electric grill and conventional gas top oven
- Fanned and conventional gas main oven
- Glass lid with auto shut off
- 4kW wok burner
- Flame safety device
- Cast iron pan supports
- Easy clean enamel

● BLACK 444442715 ● STA STEEL 444442714 ○ WHITE 444442716



# MINI RANGE COOKERS

Our Farmhouse Mini Range Cookers give you all the style and features of a classic British Range Cooker but in a smaller, kitchen-friendly 60cm width. Equipped with double ovens as standard and available in a variety of fuel types, our Mini Range Cookers look great and fit right in!



**MADE IN BRITAIN**



**LOOKS GREAT  
COOKS GREAT  
AND FITS RIGHT IN**

## 60CM FARMHOUSE MINI RANGE

**60E**



**60cm electric mini range cooker**

- 4 ceramic zones
- Electric grill and conventional electric top oven
- Fanned electric oven
- Oven light
- A energy rating
- Easy clean enamel
- LED Maxi-Clock & programmer

● BLACK 444444711 ● HOT JAL 444444712 ● CREAM 444444710

**60DF**



**60cm dual fuel mini range cooker**

- 4 gas burners with cast iron pan supports
- 4kW wok burner
- Electric grill and conventional electric top oven
- Fanned electric oven
- Oven light
- A energy rating
- Easy clean enamel
- LED Maxi-Clock & programmer

● BLACK 444444714 ● HOT JAL 444444715 ● CREAM 444444713

**60G**



**60cm gas mini range cooker**

- 4 gas burners with cast iron pan supports
- 4kW wok burner
- Electric grill and conventional gas top oven
- Conventional gas oven
- Oven light
- Easy clean enamel
- Maxi-Clock with cook-to-off timer

● BLACK 444444717 ● HOT JAL 444444718 ● CREAM 444444716



# FINISHING TOUCHES

## WE'VE GOT YOU COVERED!

Whether you have chosen a Range Cooker, freestanding cooker, or built-in hob, we have a large range of stylish co-ordinating hoods and splashbacks to complement your cooking appliance.







# HOODS & SPLASHBACKS

## 60CM HOODS

**60CHIM**



**60cm chimney hood**

- 3 fan speeds
- 2 built-in lights
- Push button controls
- 2 grease filters
- Extendable chimney section

● STA STEEL 444441226 ● BLACK 444441227

**60VH**



**60cm integrated visor hood**

- 3 fan speeds
- 1 built-in light
- 1 grease filter
- Slider controls

● SILVER 444441224 ○ WHITE 444441223

**60 K-LINE**




**60cm designer hood**

- 3 fan speeds & booster
- 2 halogen lights
- Illuminated push button controls
- 1 grease filter
- Extendable chimney section

● STA STEEL 444441229

**600CGH**



**60cm curved glass hood**

- 3 fan speeds
- 2 halogen lights
- Push button controls
- 1 grease filter

● STA STEEL 444448742 ● BLACK 444443284

**UIH60**



**60cm integrated hood**

- 3 fan speeds
- 1 halogen light
- Slider controls
- 1 acrylic grease filter

● SILVER 444449650

## COMPLEMENT YOUR COOKER



## 70CM HOODS

**70CHIM**



**70cm chimney hood**

- 3 fan speeds
- 2 built in lights
- Push button controls
- 1 grease filter
- Extendable chimney section

● STA STEEL 444441129

**700CGH**



**70cm curved glass hood**

- 3 fan speeds
- 2 halogen lights
- Push button controls
- 1 grease filter

● STA STEEL 444448743 ● BLACK 444443285

## 90CM HOODS

**900CGH**



**90cm curved glass hood**

- 3 fan speeds
- 2 halogen lights
- Push button controls
- 1 grease filter

● STA STEEL 444448744 ● BLACK 444443286



# 90CM HOODS

## 90DB CHIM



90cm chimney hood

- 3 fan speeds
- 2 LED spot lights
- Push button controls
- 3 grease filters

● STA STEEL 444443570 ● BLACK 444443567

## CLASSIC 90CHIM



90cm classic chimney hood

- 3 fan speeds
- 2 LED spot lights
- Push button controls
- 3 grease filters

● HOT JAL 444443585 ● CREAM 444443582

## 90DB FLAT



90cm flat designer hood

- 3 fan speeds
- 2 LED spot lights
- Push button controls
- 3 grease filters

● STA STEEL 444443579 ● BLACK 444443573



# 100CM HOODS

## 100DB CHIM



100cm chimney hood

- 3 fan speeds
- 2 LED spot lights
- Push button controls
- 3 grease filters

● STA STEEL 444443571 ● BLACK 444443568

## CLASSIC 100CHIM



100cm classic chimney hood

- 3 fan speeds
- 2 LED spot lights
- Push button controls
- 3 grease filters

● HOT JAL 444443583 ● CREAM 444443586

## 100DB FLAT



100cm flat designer hood

- 3 fan speeds
- 2 LED spot lights
- Push button controls
- 3 grease filters

● STA STEEL 444443580 ● BLACK 444443574

# 110CM HOODS

## 110DB CHIM



110cm chimney hood

- 3 fan speeds
- 2 LED spot lights
- Push button controls
- 3 grease filters

● STA STEEL 444443572 ● BLACK 444443569

## CLASSIC 110CHIM



110cm classic chimney hood

- 3 fan speeds
- 2 LED spot lights
- Push button controls
- 3 grease filters

● HOT JAL 444443584 ● CREAM 444443587

## 110DB FLAT



110 flat designer hood

- 3 fan speeds
- 2 LED spot lights
- Push button controls
- 3 grease filters

● STA STEEL 444443581 ● BLACK 444443575



# GLASS SPLASHBACKS

## SBK60 GLASS



60cm glass splashback

- Toughened glass
- Polished edge
- Self adhesive tape fixing

- BLACK 444442907
- STA SHIMMER 444442911
- UNION JACK 444442921
- UNION MONO 444442923

## SBK90 GLASS



90cm glass splashback

- Toughened glass
- Polished edge
- Self adhesive tape fixing

- BLACK 444442908
- STA SHIMMER 444442912
- UNION JACK 444442922
- UNION MONO 444442924
- HOT JAL 444442915
- CREAM 444443186
- WHITE 444442918

## SBK100 GLASS



100cm glass splashback

- Toughened glass
- Polished edge
- Self adhesive tape fixing

- BLACK 444442909
- STA SHIMMER 444442913
- HOT JAL 444442916
- CREAM 444443187
- WHITE 444442919

## SBK110 GLASS



110cm glass splashback

- Toughened glass
- Polished edge
- Self adhesive tape fixing

- BLACK 444442910
- STA SHIMMER 444442914
- HOT JAL 444442917
- CREAM 444443188
- WHITE 444442920

# METAL SPLASHBACKS



## SBK60

60cm metal splashback

- BLACK 444449519

## SBK90

90cm metal splashback

- BLACK 444449526
- STAINLESS STEEL 444449524

## SBK110

110cm metal splashback

- BLACK 444449532
- STAINLESS STEEL 444449530

## SBK70

70cm metal splashback

- BLACK 444449522

## SBK100

100cm metal splashback

- BLACK 444449529
- STAINLESS STEEL 444449527

# METAL SPLASHBACKS WITH RAIL



## SBK60R

60cm metal splashback with rail

- STAINLESS STEEL 444440379

## SBK90R

90cm metal splashback with rail

- STAINLESS STEEL 444449525

## SBK100R

100cm metal splashback with rail

- STAINLESS STEEL 444449528

## SBK110R

110cm metal splashback with rail

- STAINLESS STEEL 444449531





 #MyFarmhouse



50CM FREESTANDING COOKERS

55CM

60CM

PRODUCT														
PRODUCT	FSS0EDOC	FSS0EDOPC	FSS0EFDO	FSS0EET	FSG5ODO	FSS0GTCL	FSS0GDOL	FSS0EDOPC	FSS0DOTI	FSG55TCP	ENFIELD E552	FSD60DOW	FSE60DOP	
Description	50cm electric double oven with ceramic hob	50cm electric fanned double oven with ceramic hob & programmable timer	50cm electric fanned double oven with solid plate hob	50cm electric twin cavity cooker with solid plate hob	50cm gas double oven	50cm gas twin cavity cooker with glass lid	50cm gas double oven with glass lid	50cm electric fanned double oven with ceramic hob	50cm electric double oven with induction hob & programmable timer	55cm gas twin cavity with fanned gas main oven	55cm ceramic double oven	60cm dual fuel double oven	60cm electric double oven with programmable timer	
Hob	4 Ceramic elements: x2 large (1.8 kW) x2 small (1.2 kW)	4 Ceramic elements: x2 large (1.8 kW) x2 small (1.2 kW) Easy clean ceramic glass surface	4 Sealed elements: x1 large (2 kW) x2 medium (1.5 kW) x1 small (1 kW)	4 Sealed elements: x1 large (2 kW) x2 medium (1.5 kW) x1 small (1 kW)	4 Gas burners: x1 large (3 kW) x2 Medium (2 kW) x1 Small (1 kW) Gloss enamel pan supports	4 Gas burners: x1 large (3 kW) x2 Medium (2 kW) x1 Small (1 kW) Gloss enamel pan supports Glass lid with auto shut off	4 Gas burners: x1 large (3 kW) x2 Medium (1.75 kW) x1 Small (1 kW) Gloss enamel pan supports Glass lid with auto shut off	4 Ceramic elements: x2 large (1.8 kW) x2 small (1.2 kW) Easy clean ceramic glass surface	4 Induction zones: x2 Large (1.4 - 1.8 kW with power boost) x2 Small (1.4 - 1.8 kW with power boost) Touch control Pan & overheat detection Child lock Boost function	4 Gas burners: x1 large (4 kW) x2 Medium (2 kW) x1 Small (1 kW) Cast iron pan supports Glass lid with auto shut off	4 Ceramic elements: x2 Large (1.7 kW) x2 Small (1.2 kW) Easy clean ceramic glass surface	4 Gas burners: x2 medium (2.0 kW) x1 small (1.0 kW) x1 large wok burner (4.0 kW) Cast iron pan supports Flame safety device Glass lid with auto shut off	4 Ceramic elements: x2 large (1.7 kW) x2 small (1.2 kW) Easy clean ceramic glass surface	
Cavity 1	Conventional electric oven Fixed rate electric grill (1.5 kW) 37 litre capacity 1 shelf (2 positions) Easy clean enamel Drop down glass door B energy rating	Conventional electric oven Fixed rate grill (1.5 kW) 37 litre capacity 1 shelf (2 positions) Drop down glass door B energy rating	Conventional electric oven Fixed rate grill (1.5 kW) 37 litre capacity 1 shelf (2 positions) Drop down glass door B energy rating	Variable electric grill (1.6 kW) 37 litre capacity 1 shelf (2 positions) Drop down glass door	Conventional gas oven Fixed rate electric grill (1.7 kW) 39 litre capacity 1 shelf (2 positions) Drop down glass door A energy rating	Variable rate gas grill (1.6 kW) 37 litre capacity 1 shelf (2 positions) A energy rating Drop down glass door	Conventional gas oven Variable rate gas grill (2kW) 37 litre capacity 1 shelf (2 positions) Drop down glass door Easy clean enamel B energy rating	Conventional electric oven Fixed rate dual circuit electric grill (1.9 kW) 37 litre capacity 1 shelf (2 positions) Drop down glass door B energy rating	Conventional electric oven Fixed rate dual circuit electric grill (1.9 kW) 37 litre capacity 1 shelf (2 positions) Drop down glass door B energy rating	Variable rate gas grill (2kW) 39 litre capacity 1 shelf (2 positions) Drop down glass door Easy clean enamel A energy rating	Conventional electric oven Fixed rate dual circuit electric grill (1.7 kW) 39 litre capacity 1 shelf (2 positions) Easy clean enamel A energy rating	Conventional electric oven Fixed rate dual circuit electric grill (0.6/1.7/2.7 kW) 39 litre capacity 1 shelf (2 positions) Easy clean enamel A energy rating	Conventional electric oven Variable rate dual circuit electric grill (0.6/1.7/2.7 kW) 39 litre capacity 1 shelf (2 positions) Easy clean enamel A energy rating	Conventional electric oven Variable rate dual circuit electric grill (1.7 kW) 39 litre capacity 1 shelf (2 positions) Drop down glass door Easy clean enamel A energy rating
Cavity 2	Conventional electric oven Easy clean enamel A energy rating 62 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening	Fanned electric oven Easy clean enamel A energy rating 57 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening	Fanned electric oven Easy clean enamel A energy rating 57 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening	Conventional electric oven Easy clean enamel A energy rating 62 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening	Conventional gas oven Easy clean enamel B energy rating 62 litre capacity Removable shelves Oven light	Conventional gas oven Easy clean enamel A energy rating 62 litre capacity Removable shelves Oven light	Conventional gas oven Easy clean enamel A energy rating 62 litre capacity Removable shelves Oven light	Fanned electric oven Easy clean enamel A energy rating 57 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening Oven light	Fanned electric oven Easy clean enamel A energy rating 62 litre capacity 2 shelves (5 positions) Removable shelves Left hand door opening Defrost function Oven light	Conventional or fanned gas oven Easy clean enamel A energy rating 69 litre capacity Removable shelves Oven light	Fanned electric oven Easy clean enamel A energy rating 69 litre capacity Removable shelves Oven light	Fanned electric oven Easy clean enamel A energy rating 69 litre capacity Removable shelves Oven light	Fanned electric oven Easy clean enamel A energy rating 69 litre capacity Removable shelves Side-opener glass door Defrost function	
General														
Fuel	Electric	Electric	Electric	Electric	Gas	Gas	Gas	Electric	Electric	Gas	Electric	Dual fuel	Electric	
Timer	-	Programmable timer	-	-	-	-	-	-	Programmable timer	-	-	-	Programmable timer	
Adjustable feet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Fascia cooling system	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accessories (included)														
Grill pan Handle	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	
Grill pan/Trivet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Roasting tin	-	-	-	-	-	-	-	-	-	-	-	-	-	
LPG convertible	-	-	-	-	-	-	Yes	-	-	-	-	Yes	-	
LPG conversion kit (available separately)	-	-	-	-	-	-	Yes	-	-	-	-	Yes	-	
Removable Parts (for cleaning)														
Hob Burners	-	-	-	-	Yes	Yes	Yes	-	-	Yes	-	Yes	-	
Pan Supports	-	-	-	-	Yes	Yes	Yes	-	-	Yes	-	Yes	-	
Inner door	-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	Yes	
Shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Installation														
Gas type	-	-	-	-	Nat gas	Nat gas	Nat gas	-	-	Nat gas	-	Nat gas	-	
Gas inlet type	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gas inlet position	-	-	-	-	Right rear	Right rear	Right rear	-	-	Right rear	-	Right rear	-	
Electrical connection	Fixed wiring	Fixed wiring	Fixed wiring	Fixed wiring	3 pin plug	3 pin plug	3 pin plug	Fixed wiring	Fixed wiring	3 pin plug	Fixed wiring	Fixed wiring	Fixed wiring	
Terminal block position	Centre of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel	Bottom LH rear	Bottom LH rear	Centre of rear panel	Bottom of rear panel	Centre of rear panel	Centre of rear panel	Centre right of rear panel	Centre of rear panel	
Power Supply	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	240V	
Fuse size (A)	43	43	45	43	13	13	13	43	45	13	32	32	32	
Fitted 3 pin plug	-	-	-	-	Yes	Yes	Yes	-	-	Yes	-	-	-	
Product Dimensions														
Height (mm)	900-915	900-915	900-915	900-915	900-915	900-915	900-915	900	900	900-930	900-915	915-930	915-930	
Width (mm)	500	500	500	500	500	500	500	500	500	550	550	600	600	
Depth (mm)	600	600	600	600	600	600	600	600	600	600	600	600	602	
Weight (kg)	42.3	42.3	42.7	42.7	41	47	47	42.3	42.3	54	54	53	53	
Finishes & codes														
Black	444443928	-	444443925	444443921	-	444443999	444444002	444443930	-	444442712	-	444442723	444449574	
White	444443927	-	444443923	444443920	-	444443998	444444001	444443929	-	444442713	444449199	-	444449573	
Stainless Steel	-	-	444443924	-	-	444444000	-	-	444444764	444442711	-	444442722	444449572	
Silver	-	444443931	444443926	444443922	444441190	-	-	-	-	-	444449200	-	-	



# FREESTANDING COOKERS

## 60CM FREESTANDING COOKERS



PRODUCT	FSE60MFTI	FSG60DOF	FSG60DOP	FSG60TC	FSE60DOTI	FSE60MF
Description	60cm electric multifunction double oven with touch control induction hob	60cm gas double oven with fanned gas main oven & programmable timer	60cm gas double oven with cook-to-off programmable timer	60cm gas twin cavity cooker with minute minder	60cm electric double oven with touch control induction hob & timer	60cm electric multifunction double oven with programmable timer & dual grill
Hob	4 Induction zones: x2 Large (1.4 - 1.85 kW with power boost) x2 Small (1.4 - 1.85 kW with power boost) Touch control Pan & overheat detection Child lock Boost function	4 Gas burners: x2 medium (2.0 kW) x1 small (1.0 kW) x1 large wok burner (4.0 kW) Cast iron pan supports Push button ignition Flame safety device Glass lid with auto shut off	4 Gas burners: x2 medium (2.0 kW) x1 small (1.0 kW) x1 large (3.0 kW) Gloss enamel pan supports Push button ignition Flame safety device Glass lid with auto shut off	4 Gas burners: x2 medium (2.0 kW) x1 small (1.0 kW) x1 large (3.0 kW) Gloss enamel pan supports Push button ignition Flame safety device	4 Induction zones: x2 Large (1.4 - 1.85 kW with power boost) x2 Small (1.4 - 1.85 kW with power boost) Touch control Pan & overheat detection Boost function Child lock	4 Ceramic elements: x1 Large (1.7 kW) x2 Small (1.2 kW) x1 Large dual (0.7 - 1.7 kW) Easy clean enamel
Cavity 1	Conventional electric oven Variable rate dual circuit electric grill (0.6/1.7/2.7 kW) 39 litre capacity 1 shelf (2 positions) Drop down glass door Easy clean enamel A energy rating	Conventional gas oven Fixed rate electric grill (1.5 kW) 39 litre capacity 1 shelf (5 positions) Drop down glass door Easy clean enamel A energy rating	Conventional gas oven Fixed rate electric grill (1.5 kW) 39 litre capacity 1 shelf (5 positions) Drop down glass door Easy clean enamel A energy rating	Variable gas grill (2 kW) 39 litre capacity 1 shelf (5 positions) Drop down glass door Easy clean enamel	Conventional electric oven Variable rate dual circuit electric grill (0.6/1.7/2.7 kW) 39 litre capacity 1 shelf (2 positions) Drop down glass door Easy clean enamel A energy rating	Conventional electric oven Variable rate dual circuit electric grill (0.6/1.7/2.7 kW) 39 litre capacity 1 shelf (5 positions) Drop down glass door Easy clean enamel A energy rating
Cavity 2	Multifunction electric oven Easy clean enamel A energy rating Defrost function Oven light 69 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door 9 oven functions	Fanned or conventional gas oven Easy clean enamel Oven light 69 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door A energy rating	Conventional gas oven Easy clean enamel Oven light 69 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door A energy rating	Conventional gas oven Easy clean enamel Oven light 69 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door A energy rating	Fanned electric oven Easy clean enamel A energy rating Oven light 69 litre capacity 2 shelves (5 positions) Removable shelves Side-opener glass door Defrost function	Multifunction electric oven Programmable timer 9 oven functions (2 kW) Defrost function Intensive bake feature Base heat with & without fan Pizza function Grill with fan A energy rating 69 litre capacity 2 shelves (5 positions)
General						
Fuel	Electric	Gas	Gas	Electric	Electric	Electric
Timer	Programmable timer	Cook to off timer & minute minder	Programmable timer	Minute minder	Minute minder	Programmable timer
Adjustable feet	Yes	Yes	Yes	Yes	Yes	Yes
Fascia cooling system	Yes	Yes	Yes	Yes	Yes	Yes
Accessories (included)						
Grill pan Handle	-	-	-	-	-	-
Grill pan/Trivet	Yes	Yes	Yes	Yes	Yes	Yes
Roasting tin	-	-	-	-	-	-
LPG convertible	-	-	-	-	-	-
LPG conversion kit (available separately)	-	-	-	-	-	-
Removable Parts (for cleaning)						
Hob Burners	-	Yes	Yes	Yes	-	-
Pan Supports	-	Yes	Yes	Yes	-	-
Inner door	Yes	Yes	Yes	Yes	Yes	Yes
Shelves	Yes	Yes	Yes	Yes	Yes	Yes
Installation						
Gas type	-	Nat gas	Nat gas	Nat gas	-	-
Gas inlet type	-	1/2" BSP female	1/2" BSP female	1/2" BSP female	-	-
Gas inlet position	-	Rear right	Rear right	Rear right	-	-
Electrical connection	Fixed wiring	-	-	-	Fixed wiring	Fixed wiring
Terminal block position	Left of rear panel	Centre of rear panel	Centre of rear panel	Centre of rear panel	Left of rear panel	Centre of rear panel
Power Supply	240V	240V	240V	240V	240V	240V
Fuse size (A)	32A	13 A	13 A	13 A	32	32
Fitted 3 pin plug	-	Yes	Yes	Yes	-	-
Product Dimensions						
Height (mm)	900-915	915-930	915-930	915-930	900-915	915-930
Width (mm)	600	600	600	600	600	600
Depth (mm)	600	600	600	600	600	600
Weight (kg)	53	53	53	53	53	53
Finishes & codes						
Black	-	444442715	444449569	444449564	-	444449576
White	444443703	444442716	444449568	-	-	-
Stainless Steel	444443702	444442714	444449567	444449563	444443704	444449575



FARMHOUSE MINI-RANGE COOKERS



PRODUCT	60DF	60E	60GT
Description	60cm dual fuel mini range cooker	60cm electric mini range cooker	60cm gas mini range cooker
Hob	4 Gas burners: (1-4 kW) 4kW wok burner Cast iron pan supports Flame safety device	4 Ceramic zones: (1.2-1.7 kW) Easy clean ceramic surface	4 Gas burners (1-4 kW) 4kW wok burner Cast iron pan supports Flame safety device
Cavity 1	Electric grill & conventional oven	Electric grill & conventional oven	Electric grill & conventional gas oven Removable shelves
Cavity 2	Fanned electric oven Easy clean enamel A energy rating Oven light Defrost & Slow cook function 69 L capacity 2 shelves (5 positions) Removable shelves	Fanned electric oven Easy clean enamel A energy rating Oven light Defrost & Slow cook function 69 L capacity 2 shelves (5 positions) Removable shelves	Conventional gas oven Easy clean enamel B energy rating Oven light Defrost function 69 L capacity 2 shelves (5 positions) Removable shelves
Cavity 3	N/A	N/A	N/A
Cavity 4	N/A	N/A	N/A
Timer / Programmer	LED Maxi-clock/touch control programmer	LED Maxi-Clock/touch control programmer	LED Maxi-Clock/cook-to-off timer
Timer	Yes	Yes	Yes (cook to off)
Fascia cooling system	-	-	-
Accessories (included)			
Grill pan handle	-	-	-
Grill pan/trivet	Yes	Yes	Yes
Integrated splashback	-	-	-
LPG convertible	-	-	-
LPG conversion kit (available separately)	-	-	-
Removable Parts (for cleaning)			
Hob burners	Yes	-	Yes
Pan supports	Yes	-	Yes
Shelves	Yes	Yes	Yes
Shelf runners	Yes	Yes	Yes
Installation			
Gas type	Nat gas	-	Nat gas
Gas inlet type	1/2" BSP female	-	1/2" BSP female
Gas inlet position/ Electrical power load (kW)	Rear right	15.2	Rear right
Fuse size (A)	32	32	13
Fitted 3 pin plug	-	-	-
Electrical connection	4.8kW	10.6kW	1.9kW
Product Dimensions			
Height (mm)	900	900	900
Width (mm)	600	600	600
Depth (mm)	600	600	600
Finishes & codes			
Black	444444714	444444711	444444717
Cream	444444713	444444710	444444716
Hot Jalapeño	444444715	444444712	444444718

60CM HOODS



PRODUCT	60CHIM	60VH	60 K-LINE	600 CGH
Description	60cm chimney hood	60cm integrated visor hood	60cm designer hood	60cm wide curved glass hood
Hood overview	3 fan speeds 2 lights Push button controls 1 grease filter Extendable chimney section	3 fan speeds 1 light 1 acrylic filter Slider controls	3 fan speeds & booster 2 halogen lights Illuminated push button controls 1 grease filter Extendable chimney section	3 fan speeds 2 halogen lights Push button controls 1 grease filter
Extraction				
Min extraction rate (m3/h)	161	100	210	208
Max extraction rate (m3/h)	436	200	465	328
Motor rating (W)	130	100	250	150
Max noise level (dBa)	66	63	58	49
Noise level with boost	-	-	61	-
Energy				
Annual energy consumption (kW/a)	107.1	72.4	103.2	104.9
Energy efficiency class	E	D	D	E
Fluid dynamic efficiency	9.8	5.1	16.7	5.8
Fluid dynamic efficiency class	E	F	D	F
Lighting efficiency class	G	G	F	F
Grease filtering efficiency class	D	C	F	D
Installation				
Position of ducting outlet	Top	Top	Top	Top
Ducting kit diameter (mm)	120/150	150/120	150/120	150/120
Fuse size (A)	3	3	3	3
Product dimensions				
Height (excl chimney where fitted) (mm)	190	150	505	100
Width (mm)	600	600	600	600
Depth (mm)	485	395/520	337	490
Weight (Kg)	6.8	6.30	13.5	13
Chimney height (incl hood) (mm)	560/905	-	930-1360	535-965
Chimney width (mm)	250	-	318	318
Chimney depth (mm)	183	-	259	259
Min height above hob (mm)	650	-	650	650
Finishes & codes				
Stainless Steel	444441226	-	444441229	-
Black	444441227	-	-	444443284
Cream	-	-	-	-
Hot Jalapeño	-	-	-	-
Silver	-	444441224	-	-
White	-	444441223	-	-



	60CM		70CM		90CM		100CM		110CM		
<b>PRODUCT</b>	<b>UIH60</b>	<b>600CGH</b>	<b>70CHIM</b>	<b>700 CGH</b>	<b>900CGH</b>	<b>CLASSIC/DB 90CHIM</b>	<b>90DB FLAT</b>	<b>CLASSIC/DB 100CHIM</b>	<b>100DB FLAT</b>	<b>CLASSIC/DB 110CHIM</b>	<b>110DB FLAT</b>
Description	60cm integrated hood	60cm curved glass hood	70cm chimney hood	70cm curved glass hood	90cm curved glass hood	90cm classic chimney hood	90cm flat designer hood	100cm classic chimney hood	100cm flat designer hood	110cm classic chimney hood	110cm flat designer hood
Hood overview	3 fan speeds 1 halogen light Slider control 1 acrylic grease filter	3 fan speeds 2 halogen lights Push button controls 1 grease filter	3 fan speeds 2 lights Push button controls 2 grease filters	3 fan speeds 2 halogen lights Push button controls 1 grease filter	3 fan speeds 2 halogen lights Push button controls 1 grease filter	3 fan speeds 2 LED spot lights Push button controls 3 grease filters	3 fan speeds 2 LED spot lights Push button controls 3 Aluminium grease filters Extendable chimney section	3 fan speeds 2 LED spot lights Push button controls 3 Aluminium grease filters Extendable chimney section	3 fan speeds 2 LED spot lights Push button controls 3 Aluminium grease filters Extendable chimney section	3 fan speeds 2 LED spot lights Push button controls 3 Aluminium grease filters Extendable chimney section	3 fan speeds 2 LED spot lights Push button controls 3 Aluminium grease filters Extendable chimney section
<b>Extraction</b>											
Min extraction rate (m3/h)	105	208	212	208	208	311.2	305	311.2	305	311.2	305
Max extraction rate (m3/h)	220	328	355	328	328	512.1	480	512.1	480	512.1	480
Motor rating (W)	100	150	150	150	150	110	110	110	110	110	110
Max noise level (dBa)	65	49	63	49	49	60	61	60	61	60	61
<b>Energy</b>											
Annual energy consumption (kW/a)	68	104.9	115.4	104.9	104.9	68.5	68	68.5	68	68.5	68
Energy efficiency class	D	E	E	E	E	D	D	D	D	D	D
Fluid dynamic efficiency	7.9	5.8	5.6	5.8	5.8	7.6	7.1	7.6	7.1	7.6	7.1
Fluid dynamic efficiency class	F	F	F	F	F	F	F	F	F	F	F
Lighting efficiency class	G	F	G	F	F	A	A	A	A	A	A
Grease filtering efficiency class	C	D	D	D	D	B	B	B	B	B	B
<b>Installation</b>											
Position of ducting outlet	Top	Top	Top	Top	Top	Top	Top	Top	Top	Top	Top
Ducting kit diameter (mm)	120/100	150/120	120/150	150/120	150/120	150/120	150/120	150/120	150/120	150/120	150/120
Fuse size (A)	3	3	3	3	3	5	5	5	5	5	5
<b>Product dimensions</b>											
Height (excl chimney where fitted) (mm)	400	100	260	100	100	315	60	315	60	315	60
Width (mm)	600	600	700	700	900	900	900	1000	1000	1100	1100
Depth (mm)	270/495	490	495	490	490	500	500	500	500	500	500
Weight (Kg)	9	13	12	13.6	13	11.6	15.1	12.4	15.8	12.7	16.8
Chimney height (incl hood) (mm)	-	535-965	755/1100	560-905	560-905	678-1040	648-1228	678-1040	648-1228	678-1040	648-1228
Chimney width (mm)	-	318	250	318	318	222	322	222	322	222	322
Chimney depth (mm)	-	259	183	259	259	173	282	173	282	173	282
min height above hob (mm)	650	650	650	650	650	650	650	650	650	650	650
<b>Finishes &amp; codes</b>											
Stainless Steel	-	444448742	444441129	444448743	444448744	444443570	444443579	444443571	444443580	444443572	444443581
Black	-	-	-	444443285	444443286	444443567	444443573	444443568	444443574	444443569	444443575
Cream	-	-	-	-	-	444443582	-	444443583	-	444443584	-
Hot Jalapeño	-	-	-	-	-	444443585	-	444443586	-	444443587	-
Silver	444449650	-	-	-	-	-	-	-	-	-	-









GLASS



60CM

90CM

100CM

110CM

						
PRODUCT	SBK60	SBK60 STA-SHIMMER	SBK90	SBK90 STA-SHIMMER	SBK100	SBK100 STA-SHIMMER
Description	60cm glass splashback	60cm glass splashback	90cm glass splashback	90cm glass splashback	100cm glass splashback	100cm glass splashback
Features						
Toughened	Yes	Yes	Yes	Yes	Yes	Yes
Edge finish	Polished	Polished	Polished	Polished	Polished	Polished
Installation						
Fixing method	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape	Self adhesive tape
Tape thickness (mm)	2	2	2	2	2	2
Product dimensions						
Height (mm)	750	750	750	750	750	750
Width (mm)	600	600	900	900	1000	1000
Thickness (mm)	6	4	6	4	6	4
Weight (Kg)	6.8	4.5	10.1	6.8	11.3	7.5
Finishes & codes						
Stainless Steel	-	444442911	-	444442912	-	444442913
Black	444442907	-	444442908	-	444442909	-
Cream	-	-	444443186	-	444443187	-
Hot Jalapeño	-	-	444442915	-	444442916	-
Union jack mono 	-	-	444442924	-	-	-
Union jack 	-	-	444442922	-	-	-
White	-	-	444442918	-	444442919	-

		
PRODUCT	SBK110	SBK110 STA-SHIMMER
Description	110cm glass splashback	110cm glass splashback
Features		
Toughened	Yes	Yes
Edge finish	Polished	Polished
Installation		
Fixing method	Self adhesive tape	Self adhesive tape
Tape thickness (mm)	2	2
Product dimensions		
Height (mm)	750	750
Width (mm)	1100	1100
Thickness (mm)	6	4
Weight (Kg)	12.4	8.3
Finishes & codes		
Stainless Steel	-	444442914
Black	444442910	-
Cream	444443188	-
Hot Jalapeño	444442917	-
Union jack mono	-	-
Union jack	-	-
White	444442920	-

METAL

60CM



70CM

90CM

100CM

110CM

						
PRODUCT	SBK60	SBK70	SBK90	SBK90R	SBK100	SBK100R
Description	60cm metal splashback	70cm metal splashback	90cm metal splashback	90cm metal splashback with rail	100cm metal splashback	100cm metal splashback with rail
Features						
Toughened	-	-	-	Yes	-	Yes
Decorative rail	-	-	-	Yes	-	Yes
Rail type	-	-	-	T bar handle	-	T bar handle
Rail length	-	-	-	800mm	-	900mm
Rail hole centres about centreline (mm)	-	-	-	750mm	-	750mm
Fixing hole position (flange or inboard)	Flange	Flange	Flange	Flange	Flange	Flange
Hole centres about centreline (mm)	400	500	700	700	800	800
Product dimensions						
Height (mm)	750	750	750	750	750	750
Width (mm)	600	700	900	900	1000	1000
Thickness (mm)	10	10	10	10	10	10
Weight (Kg)	6	6.7	9	9.7	10.2	11
Finishes & codes						
Stainless Steel	444449519	444449522	444449524	444449525	444449527	444449528
Black	-	-	444449526	-	444449529	-

		
PRODUCT	SBK110	SBK110R
Description	110cm metal splashback	110cm metal splashback with rail
Features		
Toughened	-	Yes
Decorative rail	-	Yes
Rail type	-	T bar handle
Rail length	-	1000mm
Rail hole centres about centreline (mm)	-	750mm
Fixing hole position (flange or inboard)	Flange	Flange
Hole centres about centreline (mm)	900	900
Product dimensions		
Height (mm)	750	750
Width (mm)	1100	1100
Thickness (mm)	10	10
Weight (Kg)	11	11.9
Finishes & codes		
Stainless Steel	444449530	444449531
Black	444449532	-





**INSIDE EVERY GREAT HOME**

**Belling**

Stoney Lane, Prescot,  
Merseyside L35 2XW

**Belling Customer Care:**

0344 815 3746

**Product Information**

**Helpline:**

0344 248 4149

**Trade Support Line:**

0344 248 4147



[www.belling.co.uk](http://www.belling.co.uk)

